Colorado Division of Fire Prevention and Control Firefighter I JPR's (NFPA 1001, 2019 Edition)

Initial Certification JPR Requirement: 12 Mandatory, 4 Random 4.1 General Requirements		Task	Renewal JPR Requirement: 100% of All JPRs (including all subsections)	
1A	4.1.2	Donning PPE	Mandatory	
1B	4.1.2; 4.3.20	Ropes, Knots, and Hoisting Tools	Mandatory	
1C	4.1.2	Documentation, Standard, or Code	Random	
1D	4.1.2	Field reduction and Doff PPE	Random	
4.2 Fire Ground Commu	nication	Task		
2A	4.2.1	Initiate a Response	Random	
2B	4.2.2	Receive a Telephone Call	Random	
2C	4.2.3	Transmit on Radio	Random	
2D	4.2.4	Mayday Operations	Mandatory	
4.3 Fire Ground Operation	ons	Task		
3A	4.3.1; 4.3.9	Don SCBA and Emergency Procedures	Mandatory	
3B	4.3.2	Respond on Apparatus	Random	
3C	4.3.3	Scene Safety	Random	
3D	4.3.4	Forcible Entry	Mandatory	
3E	4.3.5	Exit Hazardous Environment	Random	
3F	4.3.6	Ground Ladders	Mandatory	
3G	4.3.7	Vehicle Fire	Mandatory	
3H	4.3.8	Class A Fire - Stacked or Piled	Random	
31	4.3.9	Search and Rescue	Mandatory	
3J	4.3.11	Horizontal Ventilation	Mandatory	
3K	4.3.12	Vertical Ventilation	Random	
3L	4.3.13	Overhaul a Fire Scene	Random	
3M	4.3.14	Salvage	Random	
3N	4.3.15	Water Supply	Mandatory	
30	4.3.16	Extinguishers	Random	
3P	4.3.17	Scene Lighting	Random	
3Q	4.3.18	Control Utilities	Random	
3R	4.3.19	Ground Fire	Random	
3\$	4.3.21	Air Monitoring	Random	
Live Fire A, B, C	4.3.10	Ground, Above, or Below Level Fire	Mandatory Either A, B, or C will be randomly selected.	
4.5 Prevention, Preparedness, & Maintenance		Task		
5A	4.5.1	Clean and Check Equipment	Random	
5B	4.5.2	Clean and Inspect Hose	Mandatory	



FIRE FIGHTER I JPR: FFI-1A

STAN	DARD: 4.1.2			
NFPA	NFPA 1001, 2019 Edition		Don personal protective clothing within one (1) minute.	
Genera	al Skill Requi	rements:		
PERFORMANCE OUTCOME: The candidate shared and control of the control of			Il be able to properly don personal protective clothing in one minute.	review
EQUII	PMENT REQ	QUIRED: Bunker pa	ants, coat, hood, gloves, and helmet.	
COND	ITIONS: Gi	ven personal protect	ive clothing, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
	DONNING	} :		
1.	Don pants	and boots properly-	including suspenders in place.	
2.	Don hood.			
3.	Don coat-i	ncluding storm flap	closed and collar up and secured.	
4.	Don helme	et. (eye protection n	ot required)	
5.	Don glove	s.		
6.	Complete a	above correctly with	in one minute.	



FIRE FIGHTER I JPR: FFI-1B

STANDARD: 4.1.2; 4.3.20		.3.20	Task #1: Tie an approved knot(s) for the tools or equipment selected. Task #2: Hoist a tool and/or piece of equipment using the correct knot(s).	
NFPA	NFPA 1001, 2019 Edition General Skill Requirements / Fire Ground Operations			
	ORMANCE		Il demonstrate the ability to tie an approved knot and hoist or have hoist nent to a designated height, as specified by evaluator.	sted a too
OU'.	гсоме:	Safety: A safety violation	violation is grounds for automatic failure. All proctors present sha on.	ll review
	PMENT REQU an appliance.	IRED: Full PPE, u	tility rope, forcible entry tools, pike pole, roof ladder, hose line, fan, po	ower saw
COND	ITIONS: Give	en a simulated fire sco	enario, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
1.		eved knot(s) for the to	pols or equipment selected (i.e. bowline, figure eight on a bite, clove neet bend).	
2.	Hoist or have	e hoisted a tool and/o	or piece of equipment to a designated height.	I
Evaluate	or (Print & Sign)		Date:	



FIRE FIGHTER I JPR: FFI-1C

STANDARD: 4.1.2 NFPA 1001, 2019 Edition			Task: Locate information in departmental documents and standard or or	code
Genera	General Skill Requirements		materials.	
PERFORMANCE OUTCOME:		standard or code n the document, only	violation is grounds for automatic failure. All proctors present shall r	tained in
_	EQUIPMENT REQUIRED: Department Standard Operating Procedures, NFPA Standards, EMS Protocol, Member handbook or Code Book.			
COND	ITIONS: Gi	ven department refe	rence material, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
1.			Operating Procedure, NFPA standard, EMS Protocol, Member handbook andard, or code determined by proctor).	
Evaluato	Or (Print & Sig	n)	Date:	



FIRE FIGHTER I JPR: FFI-1D

STANI	DARD: 4.1.2		Task #1: Perform field reduction of contaminants.	
NFPA	NFPA 1001, 2019 Edition			
Genera	al Skill Requi	rements:	Task #2: Doff personal protective clothing and prepare for reuse.	
The candidate shall clothing for reuse.			ll be able to properly perform field reduction, and doff personal protective	/e
OUT	COME:	Safety: A safety v the safety violation	riolation is grounds for automatic failure. All proctors present shall on.	review
EQUIP	PMENT REQ	UIRED: Bunker p	ants, coat, hood, gloves, and helmet.	
COND	ITIONS: Giv	ven personal protect	ive clothing, the candidate shall demonstrate the ability to:	
No.		Task Steps		✓
	FIELD RI	EDUCTION:		
1.	Perform fie	eld reduction of con	taminants per AHJ standard practice.	
	DOFFING	} :		
2.	Explain or	demonstrate AHJ p	rocess for returning PPE in an operational state.	
Evaluate	Or (Print & Sign	1)	Date:	



FIRE FIGHTER I JPR: FFI-2A

STANDARD: 4.2.1 NFPA 1001, 2019 Edition		1	Task: Initiate a response to a reported emergency, given the report of an emergency, department SOPs, and communications equipment, so that all necessary information is obtained, communications equipment is operated		
		Edition			
Fire Department Communications		Communications	correctly, and the information is relayed promptly and accurately to the center.	dispatch	
			Il demonstrate the ability to operate fire department communications equipand record information.	oment,	
OUTC	COME:	Safety: A safety violation	violation is grounds for automatic failure. All proctors present shall ron.	eview	
EQUIP	MENT RE	QUIRED: Departi	ment SOP's, communication equipment, paper, and pencil.		
COND	ITIONS: (Given a scenario of a	a reported alarm, the candidate shall demonstrate the ability to:		
No.			Task Steps	✓	
1.	Verbaliz	e how the alarm is re	eceived.		
2.	Write pro	oper address and nat	ture of the emergency.		
3.	Promptly	contacts dispatch b	y radio indicating an alarm has been received.		
4.	Informs	dispatch that they ar	e responding to the emergency.		
Evaluato	Or (Print & Si	ign)	Date:		




FIRE FIGHTER I JPR: FFI-2B

Ca	ndidate:		
STANDARD: 4.2.2 NFPA 1001, 2019 Edition		Task: Receive a telephone call, given a fire department phone, so that procedures for answering the phone are used and the caller's information is	
	partment Communications	relayed.	IOII IS
The candidate shale		Il be able to operate fire station telephone and intercom equipment. violation is grounds for automatic failure. All proctors present shall 1 on.	review
EQUIP	MENT REQUIRED: Teleph	one, paper, and pencil.	
CONDI	TIONS: Given a real or simu	lated call, the candidate shall demonstrate the ability to:	
No.		Task Steps	✓
1.	Ensure paper and pencils (or	pens) are available.	
2.	Answer the phone promptly.		
3.	Identify himself/herself and	the department to the caller.	
4.	Take an appropriate message	e (i.e. date, time, caller, caller's phone number and person taking call).	
5.	Deliver a message or transfe	r the call to the appropriate person.	
Evoluo4a	NP (D. 14.9 Ct.)	Date:	
raiuat0	or (Print & Sign)	Date:	



FIRE FIGHTER I JPR: FFI-2C

NFPA 1	ARD: 4.2.3 1001, 2019 Edition partment Communications	Task: Transmit and receive messages via the fire department radio, gi department radio and operating procedures, so that the information is a complete, clear, and relayed within the time established by the AHJ.	
PERFORMANCE routine and emerg		violation is grounds for automatic failure. All proctors present shall r	
EQUIP	MENT REQUIRED: Fire dep	partment mobile or portable radio.	
CONDI	TIONS: Given a scenario, the	candidate shall demonstrate the ability to:	
No.		Task Steps	✓
1.	Determine there is no other r	radio traffic before transmitting (unless emergency traffic).	
2.	Speak calmly, clearly, distinct	ctly and at a medium speed.	
3.	Transmit a message that is bu	rief, accurate and to the point.	
4.	Identify who the message is	addressed to.	
5.	Identify the person or unit tra	ansmitting.	
6.	Acknowledges information b	back from command (if applicable).	
Evaluato	or (Print & Sign)	Date:	



Candidate: ____

FIRE FIGHTER I JPR: FFI-2D

STANDARD: 4.2.4		ļ	Task: Activate an emergency call for assistance, given vision-obscured	
NFPA 1001, 2019 Edition		Edition	conditions, PPE, and department SOP's, so that the fire fighter can be l	ocated
Fire De	Fire Department Communications		and rescued.	
	RMANCE COME:	PASS device, or o procedures.	Il demonstrate the ability to initiate an emergency call for assistance (by rather means to alert the need of emergency assistance) in accordance to the violation is grounds for automatic failure. All proctors present shall ron.	e AHJ's
			artment mobile or portable radio, mayday props (simulating lost/trapped, personal light, and full protective clothing with SCBA.	stuck,
CONDI	ITIONS: G	iven a simulated fire	scenario, the candidate shall demonstrate the ability to:	
			~	/
No.			Task Steps	✓
No. 1.	Use radio	to call "Mayday, Ma	-	V
		J J,	-	V
1.	Provide c	J J,	ayday, Mayday".	
1.	Provide co	orrect information d	ayday, Mayday".	
1. 2. 3.	Provide co Activate I Attempt s	orrect information d	ayday, Mayday". uring Mayday situation (as determined by AHJ).	
1. 2. 3. 4. 5.	Provide co Activate I Attempt s	PASS device. elf-rescue. uthing to conserve ai	ayday, Mayday". uring Mayday situation (as determined by AHJ).	•



FIRE FIGHTER I JPR: FFI-3A

Ca	ndidate:		
STAND	ARD: 4.3.1; 4.3.9	Task: Use SCBA during emergency operations, given SCBA and ot personal protective equipment, so that the SCBA is correctly donned as	
	001, 2019 Edition ound Operations	activated within 1 minute, the SCBA is correctly worn, controlled brea techniques are used, emergency procedures are enacted if the SCBA fa low-air warnings are recognized, respiratory protection is not intention compromised, and hazardous areas are exited prior to air depletion.	thing iils, all
PERFOR OUTC	MANCE SCBA air cylinder procedures in the e	Il demonstrate the ability to Don SCBA within 1-minute, control breathings, use SCBA to exit through restricted passages, initiate and complete emergeneet of SCBA failure or air depletion, and complete donning procedures violation is grounds for automatic failure. All proctors present shall ron.	ergency
EQUIP		prop for restricted passage, and full personal protective equipment.	
CONDI ability to		und environment and with restricted passages, the candidate shall demons	trate the
No.		Task Steps	✓
	Don SCBA:		
1.	Correctly don SCBA including PASS device.	ng checking amount of air in cylinder and operation of low air alarm and	
2.	Correctly don face piece incl	uding checking seal and operating of exhalation.	
3.	Have all personal protective	clothing correctly in place.	
4.	Correctly accomplished all or	f the above in one (1) minute.	
	DEMONSTRATE CONS	SERVATION OF AIR:	
5.	Controlled Breathing: (As	taught / Instructed by AHJ).	
	SCBA FAILURE:		
	Air Delivery System:		
6.	Recognizes Air Delivery	System Failure	
0.	Initiates actions to exit ha	azardous environment	
	Activates PASS Device		
	CYLINDER REPLACE	MENT - NON HAZARDOUS ENVIRONMENT:	
7.	Properly demonstrates ability	to change out empty cylinder with full cylinder	
	RESTRICTED PASSAG	E:	
8.	Demonstrate the ability to ma	aneuver through a restricted passage while remaining on air.	
Evaluato	Γ (Print & Sign)	Date:	



FIRE FIGHTER I JPR: FFI-3B

STANDARD: 4.3.2 NFPA 1001, 2019 Edition			Task: Respond on an apparatus to an emergency scene, given personal protective clothing and other necessary personal protective equipment, so that the apparatus is correctly mounted and dismounted, seat belts are used while the	
Fire Gr	ound Oper	rations	vehicle is in motion, and other personal protective equipment is correct	tly used.
DEDEODMANCE		dismount at the emprovided safety eq		
		Safety: A safety v the safety violation	riolation is grounds for automatic failure. All proctors present shall r on.	eview
	MENT RE	-	paratus, personal protective equipment, hearing protection, eye protection	for those
CONDI	TIONS: C	Given a simulated fir	re scenario, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
	MOUN	ΓING:		
1.	Mount fir	re apparatus.		
2.	Correctly	use all protective e	quipment furnished.	
	DISMO	UNTING:		
3.	Look for	hazards before step	ping off vehicle.	
4.	Safely dis	smount.		
Evaluato	or (Print & Si	gn)	Date:	




FIRE FIGHTER I JPR: FFI-3C

PERFORMANCE devices, dismount OUTCOME: Safety: A safety v		3	Task: Establish and operate in work areas at emergency scenes, given protective equipment, traffic and scene control devices, structure fire and		
			roadway emergency scenes, traffic hazards and downed electrical wires, photovoltaic power systems, battery storage systems, an assignment, and SC so that procedures are followed, protective equipment is worn, protected we areas are established as directed using traffic and scene control devices, and firefighter performs assigned tasks only in established, protected work areas all be able to use personal protective clothing, deploy traffic and scene control trapparatus, and operate in the protected work areas as directed. violation is grounds for automatic failure. All proctors present shall review on.		
		devices, dismount			
EQUIP fire appa		QUIRED: Full per	rsonal protective clothing, traffic control devices (i.e. traffic cones, flares	, etc.), and	
CONDI	ITIONS: (Given a simulated en	nergency scene, the candidate shall demonstrate the ability to:		
No.			Task Steps	✓	
1.	Properly	dismounts apparatu	s with PPE correctly worn.		
2.	Size-up e	emergency scene for	hazards.		
3.	Identify 1	potential hazards.			
4.	Deploy to	raffic and/or scene o	control devices.		
5.	Describe	measures to ensure	continued scene safety of those operating within the work area.		
Evaluato	Or (Print & Si	ign)	Date:		



FIRE FIGHTER I JPR: FFI-3D

Ca	andidate:			
STANDARD: 4.3.4 NFPA 1001, 2019 Edition Fire Ground Operations		Task: Force entry into a structure, given full PPE, tools, and an assig that the tools are used as designed, the barrier is removed, and the ope a safe condition and ready for entry.		
II	RMANCE force entry throu	nall demonstrate the ability to transport and operate hand and power tools and gh doors, windows, and walls using assorted methods and tools. violation is grounds for automatic failure. All proctors present shall attion.		
EQUIP	PMENT REQUIRED: PPE,	appropriate hand or power tools, and forcible entry props (if available).		
COND	ITIONS: Given a Door, Wind	dow and Wall prop the candidate shall demonstrate the ability to:		
No.		Task Steps (ALL REQUIRED)	✓	
	DOOR			
1.	Select the appropriate tool(s).			
2.	Safely carry the selected tool(s) to the door.			
3.	Correctly size up the door.			
4.	Choose the appropriate tec	hnique and demonstrate or simulate forced entry.		
	WALL			
1.	Select the appropriate tool((s).		
2.	Safely carry the selected to	ol(s) to the wall.		
3.	Sound for studs (if applical	ble).		
4.	Choose the appropriate tec	hnique and demonstrate or simulate forced entry.		
	WINDOW			
1.	Select the appropriate tool((s).		
2.	Safely carry the selected to	ol(s) to the window.		
3.	Correctly size up the windo	ow.		
4.	Choose the appropriate technique and demonstrate or simulate forced entry.			
5.	Clear opening of obstacles	(i.e. Glass, Curtains, Blinds (if applicable).		
Evaluato	Or (Print & Sign)	Date:		



FIRE FIGHTER I JPR: FFI-3E

STANI	DARD: 4.3.	5	Task: Exit a hazardous area as a team, given vision-obscured conditions, so that	
NFPA 1	1001, 2019	Edition	a safe haven is found before exhausting the air supply, others are not	
Fire Gr	round Oper	rations	endangered, and the team integrity is maintained.	
PERFORMANCE OUTCOME: conditions, locate identify a safe have Safety: A safety		conditions, locate identify a safe hav	violation is grounds for automatic failure. All proctors present shall review	
EQUIP	PMENT RE	QUIRED: Persona	al protective equipment, SCBA, hand tools, and hose line / guideline.	
II		iven a simulated or constrate the ability	live fire scenario, as a member of a team with vision-obscured conditions to:	, the
No.			Task Steps	✓
1.	Determin	e air supply availab	le prior to entering the hazardous atmosphere.	
2.	Monitor	the air supply availa	ble while in the hazardous atmosphere.	
3.	Locate ho	ose line or guideline	and determine correct method of travel for egress.	
4.	Make decision to leave hazardous atmosphere before depletion of air supply while maintaining team integrity.			
5.	Exit haza	rdous atmosphere b	pefore depletion of air supply.	
Evaluato	Evaluator (Print & Sign) Date:			



FIRE FIGHTER I JPR: FFI-3F

Ca	andidate: _				
NFPA	DARD: 4.3. 1001, 2019 round Oper	Edition	Task: Set up, mount, ascend, descend, dismount ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is		
The candidate sha and lock flies, dete		and lock flies, det requirements, and the ladder.	accomplished. all be able to demonstrate the ability to carry ladders, raise ladders, extend ladders ermine that a wall and roof will support the ladder, judge extension ladder height place the ladder to avoid obvious hazards, mount, ascend, desend and dismount		
		Safety: A safety the safety violati	violation is grounds for automatic failure. All proctors present shall a on.	review	
_		QUIRED: Straight by proctor).	nt ladder, various sizes of extension ladders, and full personal protective c	lothing	
COND	ITIONS: G	iven a simulated fir	re scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps				
1.	Select th	e proper length lado	der for the designated task.		
2.	Lift/carr	y the ladder from th	e designated area or apparatus.		
3.	Visually	check work area fo	r hazards and state if area is safe or if hazards exist.		
4.	Raise the	ladder upright.			
5.	Extend a	nd secure fly sectio	n (if using an extension ladder).		
6.	Lower la	Lower ladder against stable wall or surface.			
7.	Adjust fo	or proper climbing a	angle.		
8.	Position	Position ladder correctly for task given.			

No.	Task Steps	✓			
	Mounts, Ascends Ladder Properly.				
	SELECT ONE TASK:				
	Window Ventilation: Ladder tip placed about even with the top of the window and to the windoward side.				
9.	Rescue from window or entry through window: Placed slightly below sill or 2-3 rungs into window if opening is wide enough to allow room beside ladder for rescue or entry.				
	Work with hose with no entry: Tip placed on wall above window opening if no flames extending from window or at sill if flames out window.				
	Access roof: Placed against roof with 3-5 rungs extending above roof.				
10.	Dismounts and Descends Ladder Properly.				
11.	Lower ladder to ground (reversing raising procedures).				
12.	Lift/carry ladder to designated site or apparatus.				
Evaluat	or (Print & Sign) Date:				



FIRE FIGHTER I JPR: FFI-3G

STANDARD: 4.3.7		7	TASK: Attack a passenger vehicle fire operating as a member of a team, given full PPE, an attack line, and hand tools, so that hazards are avoided, leaking	
NFPA 1	1001, 2019	Edition	flammable liquids are identified and controlled, protection from flash f maintained, all vehicle compartments are overhauled, and the fire is	ires is
Fire Gr	ound Oper	rations	extinguished.	
PERFORMANCE OUTCOME:		automobile fuel ty nozzles; apply wat 1/2 in. or larger dia compartments.	ile operating as a member of a team, shall demonstrate the ability to ident pe; assess and control fuel leaks; open, close, and adjust the flow and patter for maximum effectiveness while maintaining flash fire protection; advanter attack lines; and expose hidden fires by opening all automobile violation is grounds for automatic failure. All proctors present shall re-	tern on vance 1-
		the safety violation		CVICW
		QUIRED: Hose line icated safety line pe	nes, fire apparatus, personal protective equipment, SCBA, Auto, Truck, versonnel.	Van prop,
COND	ITIONS: G	iven a simulated fire	e scenario and a team, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
1.	Properly	wear full protective	clothing and SCBA.	
2.	Identify p	possible fuel types a	nd methods for controlling fuel leaks.	
3.	Attack fr	om upwind and uph	ill (verbalize conditions were considered if not applicable).	
4.	Select at	least one 1 1/2 inch h	ose line, bleed line, and adjust nozzle.	
5.	Extinguis	sh fire around and u	nder the vehicle, attack the remaining fire in the vehicle.	
6.	Perform	overhaul on vehicle		
7.	Describe	steps to control any	and all fuel leaks.	
Evaluato	O r (Print & Si	ign)	Date:	



FIRE FIGHTER I JPR: FFI-3H

STANDARD: 4.3.8		8	Task: Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an	
NFPA 1	1001, 2019	Edition	assignment, so that exposures are protected, the spread of fire is stopped	
Fire Gr	ound Oper	rations	collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved.	
PERFORMANCE OUTCOME: configuration, ope streams, evaluate f devices, evaluate a hidden fires, and a		configuration, ope streams, evaluate f devices, evaluate a hidden fires, and a	Il demonstrate the ability to recognize inherent hazards related to the mate trate hand lines or master streams, break up material using hand tools and for complete extinguishment, operate hose lines and other water application and modify water application for maximum penetration, search for and expresses patterns for origin determination and evaluate for complete extinguishment is grounds for automatic failure. All proctors present shall re-	water on pose ishment.
		the safety violation		
	_		A material or unattached structure or storage container, hose lines, hand re apparatus, and full personal protective equipment with SCBA.	tools,
Conditi	ons: Given	a simulated or live	exterior Class A fire, in accordance to NFPA 1403 guidelines, the candid	late shall
	trate the abi	iity to:	Tools Chang	✓
No.	ъ :		Task Steps	
1.			lated to the burning material's configuration.	
2. 3.		bleed attack line and		
			d tools and water streams.	
4. 5.			ner water application devices. pplication for maximum penetration.	
5. 6.		sh the fire.	ppincation for maximum penetration.	
7.			otecting and preserving signs of cause or origin if present.	
8.		for complete exting		
0.	Dianate	Tor complete exting	anomion.	
Evaluato	or (Print & Si	gn)	Date:	



FIRE FIGHTER I JPR: FFI-3I

STANI	DARD: 4.3.	9	TASK: Conduct a search and rescue in a structure operating as a member of a	
NFPA 1001, 2019 Edition			team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and	
Fire Gr	ound Oper	rations	team member's safety – including respiratory protection – is not compr	omisea.
PERFORMANCE OUTCOME: up and use differe functioning respiration functioning, rescutenability. Safety: A safety of the control of the contro		up and use different functioning respirationing, rescue tenability.	Il demonstrate to the ability to use an SCBA to exit through restricted pass nt types of ladders for various types of rescue operations, rescue a firefighatory protection, rescue a firefighter whose respiratory protection is not e a person who has no respiratory protection, and assess areas to determinate violation is grounds for automatic failure. All proctors present shall ron.	nter with
	nent Requi		protective clothing including SCBA, various size ladders, portable radio, f	flashlight,
	ions: Give		io with obscured visibility and a team member, the candidate shall demon	strate the
No.			Task Steps	✓
1.	Size up t	he problem and sele	ect the appropriate tool(s) and equipment.	
2.	Ladders	are correctly placed	for assignment (if chosen by candidate).	
3.	Establish	, maintain, and sear	ch in an effective pattern (i.e. left-hand or right-hand).	
4.	Maintain	team integrity and	safety.	
5.	Use hose	e line effectively (if	chosen by candidate).	
		Fin	d and remove victim (Check victim chosen).	
6.	6. Person without respiratory protection Firefighter with Non-Firefighter with Functioning SCBA SCBA			
Evaluato	Evaluator (Print & Sign) Date:			



FIRE FIGHTER I JPR: FFI-3J

PERFORMANCE OUTCOME: and ladders, and to obstructions. Safety: A safety w		Edition	TASK: Perform horizontal ventilation on a structure operating as part team, given an assignment, PPE, ventilation tools, equipment, and ladd that the ventilation openings are free of obstructions, tools are used as ladders are correctly placed, ventilation devices are correctly placed, as structure is cleared of smoke.	lers, so designed,
		and ladders, and to obstructions.	Il demonstrate the ability to transport and operate ventilation tools and equouse safe procedures for breaking window and door glass and removing violation is grounds for automatic failure. All proctors present shall ron.	•
Equipm ejector.	ent Requir	red: Full PPE with	SCBA, hose line, hand tools, pike pole, ladder, positive pressure fan, and	or smoke
Condition	ons: Given	a simulated fire and	d a team, the candidate shall demonstrate the ability to:	
No.			Task Steps	✓
	BREAK	WINDOW OR	DOOR GLASS	
1.	Properly	place ladder (if nece	essary).	
2.	Choose p	roper tool for task a	and carry tool safely.	
3.	Assume p	proper position and	break glass.	
4.	Remove §	glass and any remain	ning window obstruction. (i.e. curtains, draperies, blinds, etc.)	
	FORCE	D VENTILATIO	ON (Choose Positive, Negative, or Hydraulic)	
	Positive	Pressure Ventilation		
1.	Properly	place fan so cone of	f air covers entry point.	
2.	Ventilatio	on properly perform	ed and structure cleared of smoke.	
	Negativ	e Pressure Ventilation	i	
1.			t opening to pull smoke out.	
2.			ed and structure cleared of smoke.	
		lic Ventilation		
1.		-90% of the ventilat		
2.	Ventilatio	on properly perform	ed and room cleared of smoke.	
Fuol			Deter	
Evaluato	valuator (Print & Sign) Date:			




FIRE FIGHTER I JPR: FFI-3K

Ca	ndidate: _				
STAND	OARD: 4.3.1	12	TASK: Perform vertical ventilation on a structure as part of a team, grassignment, full PPE, ground and roof ladders, and tools, so that ladde		
NIEDA 1	1001, 2019	Edition	positioned for ventilation, a specified opening is created, all ventilation		
MITA	1001, 2019	Lutton	are removed, structural integrity is not compromised, products of comb		
Fire Gr	ound Oper	ations	are released from the structure, and the team retreats from the area who ventilation is accomplished.	;n	
_	RMANCE COME:	operate ventilation materials to vent fl with hand tools; se	ile operating as a member of a team, shall demonstrate the ability to trans- tools and equipment; hoist ventilation tools to a roof; cut roofing and flo- lat roofs, pitched roofs, and basements; sound a roof for integrity; clear at elect, carry, deploy, and secure ground ladders for ventilation activities; de- ched roofs while secured to a ground ladder; and carry ventilation tools a	ooring oopening eploy	
		_	scending and descending ladders.		
		Safety: A safety v the safety violation	violation is grounds for automatic failure. All proctors present shall r on.	eview	
	Equipment Required: Full PPE including SCBA, roof ladder, various size extension ladders, chainsaw, pike pole, and other hand tools.				
Conditi	ions: Given	a simulated fire sce	enario while operating as a member of a team shall demonstrate the ability	y to:	
No.			Task Steps	✓	
1.	Collect a	nd organize necessa	ry equipment and tools.		
2.	Determin	e location for ventil	ation opening.		
3.	Properly	place ground ladder	:		
4.		carry roof ladder wind from intended v	while ascending ground ladder and place in position on roof making sure rentilation.		
5.	Move too	ols to roof utilizing t	eamwork.		
6.	Sound ro	of for integrity and	location of roof joists and rafters.		
7.	Make an	appropriate size ope	ening.		
8.	Remove a	appropriate roof ma	terials after cuts have been completed.		
9.	Push ceil	ing through.			
10.	Have tear	m exit roof immedia	tely after performing ventilation.		
Evaluato	valuator (Print & Sign) Date:				



FIRE FIGHTER I JPR: FFI-3L

STANDARD: 4.3.13		13	TASK: Overhaul a fire scene, given full PPE, an attack line, hand tools, a		
NFPA 1001, 2019 Edition Fire Ground Operations		Edition	flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is		
		rations	extinguished.	110 15	
PERFORMANCE OUTCOME: The candidate shad ceiling, and wall converted water for maximum spaces; recognize extinguishment. Safety: A safety water for maximum spaces; recognize extinguishment.		ceiling, and wall c water for maximum spaces; recognize extinguishment.	Il demonstrate the ability to deploy and operate an attack line; remove flo components to expose void spaces without compromising structural integral effectiveness; expose and extinguish hidden fires in walls, ceilings, and and preserve obvious signs of area of origin and arson; and evaluate for civillation is grounds for automatic failure. All proctors present shall upon.	rity; apply I subfloor complete	
	nent Requi e water exti		ding SCBA, pike poles, hand tools, thermal imager (if available), attack l	ine and/or	
Condit	ions: Give	n a simulated fire sco	enario, the candidate shall demonstrate the ability to:		
No.			Task Steps	√	
1.	Select pr	oper equipment and	extinguishing source for type of overhaul requested.		
2.	Demonst	trate locating hidden	fires by sight, touch, sound, or electronic sensor.		
3.	Expose hidden fires in ceilings, walls, and/or subfloor spaces.				
4.	Remove or extinguish burning objects.				
5.	Preserve	evidence or signs o	f cause and origin.		
6.	Ensure a	nd evaluate debris p	iles or burning material is completely extinguished.		
Evaluate	O r (Print & S	ign)	Date:		
Evaluate	or (Print & S	ign)	Date:		




FIRE FIGHTER I JPR: FFI-3M

STANDARD: 4.3.14		14	TASK: Conserve property as a member of a team, given salvage tools and				
NFPA 1001, 2019 Edition Fire Ground Operations			equipment and an assignment, so the from further damage.	hat the building and its contents are	protected		
Fire Gr	round Oper						
furniture; deploy of and catch-alls; ren PERFORMANCE and roof openings protecting the area sprinkler wedges of Safety: A safety of the safety		furniture; deploy co and catch-alls; rem and roof openings; protecting the area sprinkler wedges o	le operating as a member of a team, covering materials; roll and fold salva ove water; cover building openings, separate, remove, and relocate charr of origin for cause determination; stor stoppers; and operate a main control iolation is grounds for automatic for.	ge covers for reuse; construct water including doors, windows, floor ope ed materials to a safe location while op the flow of water from a sprinkle ol valve on an automatic sprinkler sy	chutes enings, er with ystem.		
		red: PPE, SCBA, pi	ke poles, salvage covers, and sprinkl				
Conditi	ions: Given	a simulated fire sce	nario and a team, the candidate shall	demonstrate the ability to:	1 ,		
No.		Task Steps ✓					
1.	_	furnishings in close pause and origin.	piles(s) and raised off the floor if pos	ssible while preserving evidence or			
	Cover the	Cover the pile with a salvage cover using two different spreads.					
2.			(Check)				
		One Firefighter Spread	Two Firefighter Spread	Two Firefighter Balloon Throw			
	Construct or perform one of the below called for in the scenario.						
3.	(Check)						
		Water Catch-All		Water Chute			
	Verbalize	e OR demonstrate or	ne of the below.				
4.			(Check)				
	Stop A	ctivated Sprinkler	Head Opera	te Main Control Valve			
5.	Roll and/	or Fold salvage cove	er for reuse.				
Evaluato	O r (Print & Si	gn)	_	Date:			
	-						



FIRE FIGHTER I JPR: FFI-3N

Ca	ndidate:					
STANDARD: 4.3.15 NFPA 1001, 2019 Edition		team, given suppl	TASK: Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water			
Fire Gr	ound Oper				e tight and water flow is unobstructe	
PERFORMANCE OUTCOME: supply hose, conne as well as the equipumper hose connopen and close the		iolation is grounds for automatic failure. All proctors present shall review				
Equipn	nent Requi	red: Full PPE, appr	ropriate equipment f	or hydrant or	static water supply.	
Conditi	ions: Giver	a static water sour	ce or fire hydrant, th	e candidate s	shall demonstrate the ability to:	
No.	Task Steps				√	
	CHECK	ζ: Fire	e Hydrant	or	Static Water Source	
	FIRE H	YDRANT CONNE	ECTION VIA FOR	WARD & R	EVERSE LAY	
1.	Connect	supply hose to hydr	rant.			
2.	Connect	supply hose to pum	per intake.			
3.	Fully ope	en hydrant.				
4.	Fully clo	se the hydrant.				
	STATIC	C WATER SOURCE	Œ			
1.	Deploy p	oortable water tank.				
2.	Check ga	askets on the hard su	uction hose for dirt,	gravel or defe	ects.	
3.	Connect	strainer to hose.				
4.	Connect	hard suction hose to	o pumper.			
5.	Lower ho	ose and strainer into	static water source.			
Evaluate	Or (Print & Si	ion)		_	Date:	
12 varuatt	n (Print & Si	igii)			Date.	



FIRE FIGHTER I JPR: FFI-3O

Ca	ndidate: _				
STANDARD: 4.3.16 NFPA 1001, 2019 Edition			TASK: Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling		
Fire Gr	ound Oper	rations	techniques are followed.		
PERFORMANCE OUTCOME: portable fire extingular safely carry portable.		portable fire exting safely carry portable Safety: A safety v	Il demonstrate the ability to operate portable fire extinguishers, approach f guishers, select an appropriate extinguisher based on the size and type of f ole fire extinguishers. Violation is grounds for automatic failure. All proctors present shall re-	ire, and	
Equipn	nent Requir	the safety violation red: Full PPE if app	plicable, a variety of fire extinguishers, burn pan or prop.		
	ons: Giver		lass B, or Class C fire, and in full protective equipment, the candidate shall	1	
No.	Task Steps		✓		
		CHECH	K CLASS OF FIRE TO BE EXTINGUISHED:		
		Class A	Class B Class C		
1.	Correctly identify the class of fire.				
2.	Select an	extinguisher suitab	le for fire given.		
3.	Properly	activate the extingui	isher (pull pin and/or puncture cartridge).		
4.	Approacl	h to an effective dist	tance for discharge of the selected extinguisher.		
5.	Discharg	e extinguisher agent	t on the base of the fire and sweep over the fire area.		
6.	Advance	on the remaining bu	urning material while continuing to extinguish hot spots.		
7.	Extinguish the fire and check for remaining hot spots.				
Evaluato	Evaluator (Print & Sign) Date:				



FIRE FIGHTER I JPR: FFI-3P

STANDARD: 4.3.17			Task: Operate emergency scene lighting, given fire service lighting equipment,			
NFPA 1001, 2019 Edition			power supply and an assignment, so that emergency scene lighting eq	uipment is		
Fire Gr	ound Oper	rations	operated within the manufacturer's listed safety precautions.			
PERFORMANCE OUTCOME:			Il demonstrate the ability to operate department power supply and lighting cords and connectors, reset ground-fault (GFI) devices, and locate light	-		
0010	OME:	Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.				
		QUIRED: Portable otective equipment.	e or mounted power supply, lights, cords, connectors and ground fault in	terrupters,		
CONDI	ITIONS: (Given illumination e	quipment, the candidate shall demonstrate the ability to:			
No.			Task Steps	✓		
1.	Operate power supply properly.					
2.	Illuminat	te the area sufficient	ly.			
3. Allow equipment to cool dov		uipment to cool dov	wn before returning to service or verbally explain the need to do so.			
Evaluato	or (Print & Si	ign)	Date:			



Candidate: ___

FIRE FIGHTER I JPR: FFI-3Q

	DARD: 4.3.18	4	Task: Turn off building utilities, given tools and an assignment, so		
	NFPA 1001, 2019 Edition Fire Ground Operations		that the assignment is safely completed.		
	ound Operation		Il demonstrate the ability to identify utility control devices, operate		
PERFO	ORMANCE		witches, and assess for related hazards.		
CUO	TCOME:	Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.			
Equipment Required: Personal protective equipment, hand tools for controlling utilities, and utility service boxes.					
COND	ITIONS: Give	n a utility, the candid	late shall demonstrate or verbalize the ability to:		
No.			Task Steps	✓	
	LOCATE U	TILITY SERVICE	BOXES		
1.	Electrical-ma	ain panel.			
2.	Natural gas-ı	meter or LPG/CNG-s	storage tank/cylinder.		
3.	Water-meter	box or building water	er control valve.		
	SHUT OFF	UTILITY			
1.	Electrical-bro	eaker to "off".			
2.	Natural gas-gas cock to "off" or LPG/CNG-turn valve clockwise to close.				
3.	Water-turn valve clockwise to close or water valve cross way to direction of flow.				
Evaluato	valuator (Print & Sign) Date:				



FIRE FIGHTER I JPR: FFI-3R

Ca	ndidate: _			
STAND	OARD: 4.3.	19		
NFPA 1001, 2019 Edition		Edition	Task: Combat a ground cover fire operating as a member of a team, so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed.	
Fire Gr	ound Oper			
determine exposur PERFORMANCE OUTCOME: fire line or extingu suppress cover fire Safety: A safety v		determine exposur fire line or extingu suppress cover fire	violation is grounds for automatic failure. All proctors present shall	review
Equipm	nent Requii	red: Wildland perso	onal protective equipment, wildland hand tools, area of land and a map o	r drawing
CONDI	ITIONS: C	Given a simulated wi	ildland fire scenario and a team, the candidate shall demonstrate the abili	ity to:
No.	Task Steps		✓	
1.	Don or describe what personal protective clothing should be worn and what tools and equipment should be used.			
2.	Perform an assessment of the incident with respect to type of fuel, topography, weather conditions, and exposures.			
3.	Describe	the exposures prese	ented and what protection is needed, or conduct the operation.	
4.	Describe a direct attack on the fire and where it would be made, or conduct the operation.			
5.	5. Describe an indirect attack and where it could be made, or conduct the operation		nd where it could be made, or conduct the operation.	
6.	Identify escape routes and Safety zones.			
7.	Re-evaluate te itegrity of fire		line.	
Evaluato	Or (Print & Si	gn)	Date:	



FIRE FIGHTER I JPR: FFI-3S

	_						
STANDARD: 4.3.21		21	Task: Operate an air-monitoring instrument, given an air monitor and an				
NFPA :	1001, 2019	Edition	assignment or task, so that the device is operated and fire fighter recognizes thigh- or low-level alarms of the air monitor and takes action to mitigate the				
Fire Gr	round Oper	rations	hazard.				
			le operating as a member of a team, shall demonstrate the ability to operate the ize the alarms, and react to the alarms of the air monitor.				
OUTC	COME:		Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.				
Equipn	nent Requi	red: Appropriate P	PPE, Air Monitor.				
COND	ITIONS: G	iven a simulated inc	cident/scenario and a team, the candidate shall demonstrate the ability to:				
No.			Task Steps	√			
1.	Describe	operation of meter	or instrument.				
2.	Describe	what alarm activation	on indicates.				
3.	Describe	at what point the in	strument will alarm.				
4. Describes the actions taken wh		s the actions taken v	when an alarm sounds.				
Evaluato	O r (Print & Si	ign)	Date:				



Candidate: ____

FIRE FIGHTER I JPR: FFI-5A

	STANDARD: 4.5.1 NFPA 1001, 2019 Edition		Task: Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and			
Prepare	edness, and Maintena	ance	equipment is placed in	n a ready state or reported otherwise.		
			-	to select correct tools for various parts and piece recording and reporting procedures.	ces of	
OUT		: A safety v fety violatio		automatic failure. All proctors present shall	review	
	nent Required: Laddo g supplies.	ers, rope, sa	lvage equipment, ventila	ation equipment, hand tools, SCBA, service tags	, and	
COND	ITIONS: Given firefi	ghting equi	pment, the candidate sha	ll demonstrate the ability to:		
No.	Task Steps				✓	
	EQUIPMENT TO BE CLEANED AND INSPECTED					
		(S	CBA Mandatory & Ch	neck One Other):		
	SCBA		Hand Tool	Ventilation Equipment		
	Ladder		Rope	Salvage Equipment		
	SCBA					
1.	Inspect / Clean face	piece accor	ding to department police	cies.		
2.	Inspect / Clean back	c plate/fram	e/harness assembly acco	rding to department policies.		
3.	Inspect / Clean cylin	nder.				
4.	Place in ready state	or report an	y deficiencies.			
	Hand Tools					
	Wooden / Fiberglas	ss Handles:				
1.	Inspect Handle.					
2.	Inspect Head / Cutti	ing edge / S	urface.			
3.	Clean Tool.					
4.	Place in ready state or report any deficiencies.					

No.	Task Steps	✓		
	Ventilation Equipment - PICK ONE			
	Fueled			
1.	Check fuel level.			
2.	Check that appropriate guards are in place.			
3.	Check starting.			
4.	Place in ready state and report any deficiencies.			
	Electric			
1.	Check electric cords for damage if applicable.			
2.	Check that appropriate guards are in place.			
3.	Check starting.			
4.	Place in ready state and report any deficiencies.			
	Ladders			
1.	Clean Ladder.			
2.	Examine all beams, guides, halyard, cable, pawls, pulleys, rails, rungs, bolts, rivets, welds, heat indicator, and movable parts.			
3.	Place in ready state and report any deficiencies.			
	Rope			
1.	Clean rope.			
2.	Visually and physically inspect rope for damage.			
3.	Place in ready state and report any deficiencies.			
	Salvage Equipment			
1.	Clean provided salvage equipment.			
2.	Inspect equipment and identify damage.	_		
3.	Place in ready state and report any deficiencies.			
_				
Evaluate	Dr (Print & Sign) Date:			



Candidate: __

FIRE FIGHTER I JPR: FFI-5B

STANDARD: 4.5.2			Task: Clean, inspect, and return fire hose to service, given washing equipment.		
NFPA :	1001, 2019 Ed	lition	water, detergent, tools, and replacement gaskets, so that damage is noted and		
Prepar	Preparedness, and Maintenance		corrected, the hose is clean, and the equipment is placed in a ready state service.	te for	
PERFORMANCE OUTCOME: and drying equipm and reload hose. Safety: A safety was a safe		and drying equipm and reload hose.	Il demonstrate the ability to clean different types of hose, operate hose we nent (if available), mark defective hose, and replace coupling gaskets, rolation is grounds for automatic failure. All proctors present shall on.	l hose,	
	able), log boo		erub brush, hose, cleaning supplies, replacement gaskets, hose washer an ng repair needs, and personal protective clothing (proctor to determine w		
COND	ITIONS: Giv	en Fire Department	hose and apparatus, the candidate shall demonstrate the ability to:		
No.	Task Steps				
	INSPECT / C	CLEAN HOSE			
1.	Inspect / Cl	ean hose.			
2.	Inspect / Cl	ean couplings accor	ding to department guidelines.		
3.	Dry hose.				
4.	Place in rea	dy state and report a	any deficiencies.		
	RETURNIN	G HOSE TO SERV	VICE		
5.		Roll	hose as selected by proctor (Check one):		
٥.	Straight	Donut	Twin Donut Self-Locking Twin Donut		
	Rele	oad hose on appara	atus using a hose load specific to apparatus or department:		
6.	Pre-connec	t			
	Supply Line	e			
				_	
Evaluato	Or (Print & Sign))	Date:		



FIRE FIGHTER I JPR: FFI-Live Fire A

STANDARD: 4.3.10			Task: Attack an interior grade level structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for		
NFPA 1	NFPA 1001, 2019 Edition		advancement, ladders are correctly placed effective water application practices are u	when used, access is gained into the f	
			techniques facilitate suppression given the	e level of the fire, hidden fires are loca	ted and
Fire Gr	round Operat	ions	controlled, the correct body posture is ma and the fire is brought under control.	intained, hazards are recognized and m	nanaged,
PERFORMANCE OUTCOME: flow an uncharg stairway diamete connect suppres Safety:		flow and uncharg stairway diamete connect suppres Safety:	lity to prevent water hammers when shutting d patterns; apply water using direct, indirect, and 1 1/2 in. diameter or larger hose lines up as; extend hose lines; replace burst hose sect or or larger while secured to a ground ladder; ions; carry hose; attack fires at grade level as interior wall and subfloor fires. A safety violation is grounds for automatety violation.	and combination attacks; advance challadders and up and down interior and eions; operate charged hose lines of 1 1/2 couple and uncouple various handline and above and below grade levels; and 1	exterior 2 in. cocate and
	_	l: NFPA	1403 (Standard on Live Fire Training) docu ols, flashlight, various size ladders, and fire a		ipment
CONDI	ITIONS: Giv	en an inte	erior grade level live fire and a team, the can	didate shall demonstrate the ability to:	
No.			Task Steps		✓
1.	Describe ho	ose line re	placement method should hose line burst pri	for to entry.	
2.	Properly we	ear full pr	otective clothing and SCBA.		
3.	Properly de	ploy attac	k line for advancement to fire.		
4.	Properly blo	eed attack	line and adjust nozzle while preventing wat	er hammer.	
5.	Check door	before e	ntering and sound floor for stability.		
6.	Use approp	riate body	y posture for conditions.		
7.	Correctly ex	xtinguish	the fire using pattern selected by proctor.		
8.	Overhaul fi	re scene v	while protecting and preserving signs of caus	se or origin (if present).	
		CHI	ECK ATTACK PATTERN TO USE FOR	FIRE ATTACK:	
	DIREC	CT	INDIRECT	COMBINATION	
Evaluato	Or (Print & Sign))		Date:	



FIRE FIGHTER I JPR: FFI-Live Fire B

(Candidate:				
STANI	OARD: 4.3.10	Task: Attack an interior above grade level structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for			
NFPA 1	1001, 2019 Edition	advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack			
Fire Gr	ound Operations	techniques facilitate suppression given the controlled, the correct body posture is made and the fire is brought under control.			
The candidate shall demonstrate the ability to prevent water hammer when shutting down nozz open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect combination attacks; advanced charged and uncharged hose line; extend hose line; operate characteristic hose line while secured to ladder; replace burst hose sections; couple and uncouple various has connections; carry hose; and, attack fire at above grade level. Any Safety infraction is considered an automatic failure of the JPR					
	——————————————————————————————————————	1403 (Standard on Live Fire Training) doctols, flashlight, various size ladders, and fire		ipment	
COND	ITIONS: Given an inte	erior above grade level live fire and a team,	the candidate shall demonstrate the abil	ity to:	
No.		Task Steps		✓	
1.	Describe hose line re	eplacement method should hose line burst pr	rior to entry.		
2.	Properly wear full pr	rotective clothing and SCBA.			
3.	Properly deploy attac	ck line for advancement to fire.			
4.	Properly bleed attack	k line and adjust nozzle while preventing wa	iter hammer.		
5.	Check door before e	ntering and sound floor for stability.			
6.	Use appropriate body	y posture for conditions.			
7.	Properly ascend stair	rs.			
8.	Correctly extinguish	the fire using pattern selected by proctor.			
9.	Overhaul fire scene	while protecting and preserving signs of cau	se or origin (if present).		
	СН	ECK ATTACK PATTERN TO USE FOI	R FIRE ATTACK:		
	DIRECT	INDIRECT	COMBINATION		
Evaluato	Or (Print & Sign)		Date:		



FIRE FIGHTER I JPR: FFI-Live Fire C

STANDARD: 4.3.10 NFPA 1001, 2019 Edition		given an attack line, ladders when need	ed, personal protective equipment, tools,		
		assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed,			
Fire Gr	ound Operations	and the fire is brought under control.			
_	RMANCE COME: open, clo combinat sections; grade lev Safety:	idate shall demonstrate the ability to prevent idate shall demonstrate the ability to prevent see, and adjust nozzle flow and patterns; application attacks; advanced charged and uncharged couple and uncouple various hand line content in a safety violation is grounds for automety violation.	ply water using water using direct, indirected hose line; extend hose line; replace but the inections; carry hose; and, attack fire at better the inections.	et, and arst hose elow	
	_	1403 (Standard on Live Fire Training) dools, flashlight, various size ladders, and fire		ipment	
CONDI	ITIONS: Given an int	erior below grade level live fire and a team	, the candidate shall demonstrate the abili	ty to:	
No.		Task Steps		✓	
1.	Describe hose line re	eplacement method should hose line burst p	prior to entry.		
2.	Properly wear full pr	rotective clothing and SCBA.			
3.	Properly deploy attack	ck line for advancement to fire.			
4.	Properly bleed attack	k line and adjust nozzle while preventing w	ater hammer.		
5.	Check door before e	ntering and sound floor for stability.			
6.	Descend stairs safely	y and quickly using appropriate body postu	re.		
7.	At bottom of stairs s	earch for and correctly extinguish the fire u	using pattern selected by proctor.		
8.	Overhaul fire scene	while protecting and preserving signs of ca	use or origin (if present).		
	СН	ECK ATTACK PATTERN TO USE FO	OR FIRE ATTACK:		
	DIRECT	INDIRECT	COMBINATION		
Evaluato	Or (Print & Sign)		Date:		