

**Colorado Division of Fire Prevention and Control**  
**Firefighter I JPR's (NFPA 1001, 2013 Edition)**

5.1 General Requirements	Task	Initial Certification JPR Requirement: 10 Required, 4 Random  Renewal JPR Requirement: 100% of All JPRs (including all subsections)
1A	Donning and Doffing PPE	Mandatory
1B	Ropes, Knots, and Hoisting Tools	Random
1C	Documentation, Standard, or Code	Random
5.2 Fire Ground Communication	Task	
2A	Initiate a Response	Random
2B	Receive a Telephone Call	Random
2C	Transmit on Radio	Random
2D	Mayday Operations	Mandatory
5.3 Fire Ground Operations	Task	
3A	Don SCBA and Emergency Procedures	Mandatory
3B	Respond on Apparatus	Random
3C	Scene Safety	Random
3D	Forcible Entry	Mandatory
3E	Exit Hazardous Environment	Random
3F	Ground Ladders	Mandatory
3G	Vehicle Fire	Random
3H	Class A Fire - Stacked or Piled	Random
3I	Search and Rescue	Mandatory
3J	Horizontal Ventilation	Mandatory
3K	Vertical Ventilation	Random
3L	Overhaul a Fire Scene	Random
3M	Salvage	Random
3N	Water Supply	Mandatory
3O	Extinguishers	Random
3P	Scene Lighting	Random
3Q	Control Utilities	Random
3R	Ground Fire	Random
Live Fire A, B, C	Ground, Above, or Below Level Fire	Mandatory Either A, B, or C will be randomly selected.
5.5 Prevention, Preparedness, & Maintenance	Task	
5A	Clean and Check Equipment	Random
5B	Clean and Inspect Hose	Mandatory



# FIRE FIGHTER I

## JPR: FFI-1A

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.1.2</b> <b>NFPA 1001, 2013 Edition</b> <b>General Requirements</b>	<b>Task:</b> : Don personal protective clothing within one (1) minute: doff personal protective clothing and prepare for reuse.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall be able to properly don personal protective clothing in one minute and to prepare the personal protective clothing for reuse.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>EQUIPMENT REQUIRED:</b> Bunker pants, coat, hood, gloves, boots and helmet.		
<b>CONDITIONS:</b> Given personal protective clothing, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>DONNING:</b>		
1.	Don pants and boots properly-including suspenders in place.	
2.	Don hood.	
3.	Don coat-including storm flap closed and collar up and secured.	
4.	Don helmet. (eye protection not required)	
5.	Don gloves.	
6.	Complete above correctly within one minute.	
<b>DOFFING:</b>		
7.	Place all equipment in a ready state for reuse.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-1B

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.1.2; 5.3.20</b> <b>NFPA 1001, 2013 Edition</b> <b>General Requirements / Fire Ground Operations</b>	<b>Task:</b> Hoist a tool and/or piece of equipment using the correct knot(s).	
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to tie an approved knot and hoist or have hoisted a tool or piece of equipment to a designated height, as specified by evaluator. <b>Safety:</b> A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
<b>EQUIPMENT REQUIRED:</b> Full PPE, utility rope, forcible entry tools, pike pole, roof ladder, hose line, fan, power saw and/or an appliance.		
<b>CONDITIONS:</b> Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Tie an approved knot(s) for the tools or equipment selected (i.e. bowline, figure eight on a bite, clove hitch, half hitch, and becket or sheet bend).	
2.	Hoist or have hoisted a tool and/or piece of equipment to a designated height.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-1C

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.1.2</b> <b>NFPA 1001, 2013 Edition</b> <b>General Requirements</b>	<b>Task:</b> Locate information in departmental documents and standard or code materials	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to locate written documents, policies, procedures, and standard or code materials. The candidate is not expected to locate specific information contained in the document, only the document.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>EQUIPMENT REQUIRED:</b> Department Standard Operating Procedures, NFPA Standards, EMS Protocol, Member handbook or Code Book.		
<b>CONDITIONS:</b> Given department reference material, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Locate department Standard Operating Procedure, NFPA standard, EMS Protocol, Member handbook or code (specific procedure, standard, or code determined by proctor).	

**Evaluator (Print & Sign)** \_\_\_\_\_

**Date:** \_\_\_\_\_



# FIRE FIGHTER I

## JPR: FFI-2A

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.2.1</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Communications</b>	<b>Task:</b> Initiate a response to a reported emergency, given the report of an emergency, department SOPs, and communications equipment, so that all necessary information is obtained, communications equipment is operated correctly, and the information is relayed promptly and accurately to the dispatch center.	
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to operate fire department communications equipment, relay information, and record information.  <b>Safety:</b> A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
<b>EQUIPMENT REQUIRED:</b> Department SOP's, communication equipment, paper, and pencil.		
<b>CONDITIONS:</b> Given a scenario of a reported alarm, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Verbalize how the alarm is received.	
2.	Write proper address and nature of the emergency.	
3.	Promptly contacts dispatch by radio indicating an alarm has been received.	
4.	Informs dispatch that they are responding to the emergency.	

**Evaluator (Print & Sign)** \_\_\_\_\_

**Date:** \_\_\_\_\_



# FIRE FIGHTER I

## JPR: FFI-2B

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.2.2</b> <b>NFPA 1001, 2013 Edition</b> <b>Communications</b>	<b>Task:</b> Receive a telephone call, given a fire department phone, so that procedures for answering the phone are used and the caller's information is relayed.	
<b>PERFORMANCE OUTCOME:</b> The candidate shall be able to operate fire station telephone and intercom equipment. <b>Safety:</b> A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
<b>EQUIPMENT REQUIRED:</b> Telephone, paper, and pencil.		
<b>CONDITIONS:</b> Given a real or simulated call, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Ensure paper and pencils (or pens) are available.	
2.	Answer the phone promptly.	
3.	Identify himself/herself and the department to the caller	
4.	Take an appropriate message (i.e. date, time, caller, caller's phone number and person taking call).	
5.	Deliver a message or transfer the call to the appropriate person.	

**Evaluator (Print & Sign)** \_\_\_\_\_

**Date:** \_\_\_\_\_



# FIRE FIGHTER I

## JPR: FFI-2C

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.2.3</b> <b>NFPA 1001, 2013 Edition</b> <b>Communications</b>	<b>Task:</b> Transmit and receive messages via the fire department radio, given a fire department radio and operating procedures, so that the information is accurate, complete, clear, and relayed within the time established by the AHJ.	
<b>PERFORMANCE</b> The candidate shall demonstrate the ability to operate radio equipment and discriminate between routine and emergency traffic.		
<b>OUTCOME:</b> <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>		
<b>EQUIPMENT REQUIRED:</b> Fire department mobile or portable radio, full protective clothing and SCBA.		
<b>CONDITIONS:</b> Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Determine there is no other radio traffic before transmitting (unless emergency traffic).	
2.	Speak calmly, clearly, distinctly and at a medium speed.	
3.	Transmit a message that is brief, accurate and to the point.	
4.	Identify who the message is addressed to.	
5.	Identify the person or unit transmitting.	
6.	Acknowledges information back from command (if applicable).	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-2D

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.2.4</b> <b>NFPA 1001, 2013 Edition</b> <b>Communications</b>	<b>Task:</b> Activate an emergency call for assistance, given vision-obscured conditions, PPE, and department SOP's, so that the fire fighter can be located and rescued.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to initiate an emergency call for assistance (by radio, PASS device, or other means to alert the need of emergency assistance) in accordance to the AHJ's procedures. <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>EQUIPMENT REQUIRED:</b> Fire department mobile or portable radio, mayday props (simulating lost/trapped, stuck, falling through a floor, or collapsed on), personal light, and full protective clothing with SCBA.		
<b>CONDITIONS:</b> Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Use radio to call "MayDay, MayDay, Mayday".	
2.	Provide correct information during MayDay situation (as determined by AHJ).	
3.	Activate PASS device.	
4.	Attempt self-rescue.	
5.	Slow breathing to conserve air supply.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**





# FIRE FIGHTER I

## JPR: FFI-3A

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.1; 5.3.9</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Use SCBA during emergency operations, given SCBA and other personal protective equipment, so that the SCBA is correctly donned and activated within 1 minute, the SCBA is correctly worn, controlled breathing techniques are used, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate shall demonstrate the ability to Don SCBA within 1-minute, control breathing, replace SCBA air cylinders, use SCBA to exit through restricted passages, initiate and complete emergency procedures in the event of SCBA failure or air depletion, and complete donning procedures.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>EQUIPMENT REQUIRED:</b> SCBA, prop for restricted passage, and full personal protective equipment.		
<b>CONDITIONS:</b> Given a non-fire ground environment and with restricted passages, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>Don SCBA:</b>		
1.	Correctly don SCBA including checking amount of air in cylinder and operation of low air alarm and PASS device.	
2.	Correctly don face piece including checking seal and operating of exhalation.	
3.	Have all personal protective clothing correctly in place.	
4.	Correctly accomplished all of the above in one (1) minute.	
<b>DEMONSTRATE CONSERVATION OF AIR:</b>		
5.	<b>Controlled Breathing: (As taught / Instructed by AHJ)</b>	

No.	Task Steps	✓
<b>SCBA FAILURE:</b>		
5.	<b><i>Air Delivery System :</i></b>	
	Recognizes Air Delivery System Failure	
	Initiates actions to exit hazardous environment	
	Activates PASS Device	
<b>CYLINDER REPLACEMENT - NON HAZARDOUS ENVIRONMENT:</b>		
6.	Properly demonstrates ability to change out empty cylinder with full cylinder	
<b>RESTRICTED PASSAGE:</b>		
7.	Demonstrate the ability to maneuver through a restricted passage while remaining on air.	

---

**Evaluator (Print & Sign)**


---

**Date:**



# FIRE FIGHTER I

## JPR: FFI-3B

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.2</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Respond on an apparatus to an emergency scene, given personal protective clothing and other necessary personal protective equipment, so that the apparatus is correctly mounted and dismounted, seat belts are used while the vehicle is in motion, and other personal protective equipment is correctly used.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall be able to respond safely in a fire department apparatus and to safely dismount at the emergency scene while demonstrating the ability to use each piece of provided safety equipment.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>EQUIPMENT REQUIRED:</b> Fire apparatus, personal protective equipment, hearing protection, eye protection for those not in enclosed cabs.		
<b>CONDITIONS:</b> Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>MOUNTING:</b>		
1.	Mount fire apparatus.	
2.	Correctly use all protective equipment furnished.	
<b>DISMOUNTING:</b>		
3.	Look for hazards before stepping off vehicle.	
4.	Safely step from vehicle.	
5.	Dismount apparatus.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3C

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.3</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Establish and operate in work areas at emergency scenes, given protective equipment, traffic and scene control devices, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, an assignment, and SOPs, so that procedures are followed, protective equipment is worn, protected work areas are established, and the firefighter performs assigned tasks only in established, protected work areas.	
<b>PERFORMANCE OUTCOME:</b> The candidate shall be able to use personal protective equipment, deploy traffic and scene control devices, dismount apparatus, and operate in the protected work areas as directed.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>		
<b>EQUIPMENT REQUIRED:</b> Full personal protective clothing, traffic control devices (i.e. traffic cones, flares, etc.), and fire apparatus.		
<b>CONDITIONS:</b> Given a simulated emergency scene with down power lines, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1.	Properly dismounts apparatus with PPE correctly worn.	
2.	Size-up emergency scene for hazards.	
3.	Identify potential hazards.	
4.	Deploy traffic and/or scene control devices.	
5.	Describe measures to ensure continued scene safety of those operating within the work area.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3D

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.4</b> <b>NFPA 1001, 2013 Edition</b> <b>Fire Ground Operations</b>	<b>Task:</b> Force entry into a structure, given personal protective equipment, tools, and an assignment, so that the tools are used as designed, the barrier is removed, and the opening is in a safe condition and ready for entry.	
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to transport and operate hand and power tools and to force entry through doors, windows, and walls using assorted methods and tools. <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>		
<b>EQUIPMENT REQUIRED:</b> Personal protective equipment, appropriate hand or power tools, and forcible entry props (if available).		
<b>CONDITIONS:</b> Given a Door, Window and Wall prop the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>DOOR</b>		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the door.	
3.	Correctly size up the door.	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
<b>WALL</b>		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the wall.	
3.	Sound for studs (if applicable).	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
<b>WINDOW</b>		
1.	Select the appropriate tool(s).	
2.	Safely carry the selected tool(s) to the window.	
3.	Correctly size up the window.	
4.	Choose the appropriate technique and demonstrate or simulate forced entry.	
5.	Clear opening of obstacles (i.e. Glass, Curtains, Blinds (if applicable))	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3E

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.5</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Exit a hazardous area as a team, given vision-obscured conditions, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to operate as a team member in vision-obscured conditions, locate and follow a guideline, conserve air supply, and evaluate areas for hazards and identify a safe haven.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>EQUIPMENT REQUIRED:</b> Personal protective equipment, SCBA, hand tools, and hose line / guideline.		
<b>CONDITIONS:</b> Given a simulated or live fire scenario, as a member of a team with vision-obscured conditions, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Determine air supply available prior to entering the hazardous atmosphere.	
2	Monitor the air supply available while in the hazardous atmosphere.	
3	Locate hose line or guideline and determine correct method of travel for egress.	
4	Make decision to leave hazardous atmosphere before depletion of air supply while maintaining team integrity.	
5	Exit hazardous atmosphere before depletion of air supply.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3F

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.6</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Set up ground ladders, given single and extension ladders, an assignment, and team members if needed, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate shall be able to demonstrate the ability to carry ladders, raise ladders, extend ladders and lock flies, determine that a wall and roof will support the ladder, judge extension ladder height requirements, and place the ladder to avoid obvious hazards.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>EQUIPMENT REQUIRED:</b> Straight ladder, various sizes of extension ladders, and full personal protective clothing (SCBA determined by proctor).		
<b>CONDITIONS:</b> Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Select the proper length ladder for the designated task.	
2	Lift/carry the ladder from the designated area or apparatus.	
3	Visually check work area for hazards and state if area is safe or if hazards exist.	
4	Raise the ladder upright.	
5	Extend and secure fly section (if using an extension ladder).	
6	Lower ladder against stable wall or surface.	
7	Adjust for proper climbing angle.	

No.	Task Steps	✓
8	Position ladder correctly for task given.	
	<b>SELECT ONE TASK:</b>	
	<b>Window Ventilation:</b> Place along side to windward (upwind) side, with tip even or above top of window.	
	<b>Rescue from window or entry through window:</b> Placed slightly below sill or 2-3 rungs into window if opening is wide enough to allow room beside ladder for rescue or entry.	
	<b>Work with hose with no entry:</b> Tip placed on wall above window opening if no flames extending from window or at sill if flames out window.	
	<b>Access roof:</b> Placed against roof with 3-5 rungs extending above roof.	
9	Lower ladder to ground (reversing raising procedures).	
10	Lift/carry ladder to designated site or apparatus.	

---

**Evaluator (Print & Sign)**


---

**Date:**





# FIRE FIGHTER I

## JPR: FFI-3G

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.7</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>TASK:</b> Attack a passenger vehicle fire operating as a member of a team, given personal protective equipment, attack line, and hand tools, so that hazards are avoided, leaking flammable liquids are identified and controlled, protection from flash fires is maintained, all vehicle compartments are overhauled, and the fire is extinguished.																								
<b>PERFORMANCE OUTCOME:</b> <p style="margin-top: 10px;">The candidate, while operating as a member of a team, shall demonstrate the ability to identify automobile fuel type; assess and control fuel leaks; open, close, and adjust the flow and pattern on nozzles; apply water for maximum effectiveness while maintaining flash fire protection; advance 1 1/2 in. or larger diameter attack lines; and expose hidden fires by opening all automobile compartments.</p> <p style="margin-top: 10px;"><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>																									
<b>EQUIPMENT REQUIRED:</b> Hose lines, fire apparatus, personal protective equipment, SCBA, Auto, Truck, Van prop, hand tools, and dedicated safety line personnel.																									
<b>CONDITIONS:</b> Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:																									
No.	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 70%;">Task Steps</th> <th style="width: 20%; text-align: center;">✓</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Properly wear full protective clothing and SCBA.</td> <td></td> </tr> <tr> <td style="text-align: center;">2</td> <td>Identify possible fuel types and methods for controlling fuel leaks.</td> <td></td> </tr> <tr> <td style="text-align: center;">3</td> <td>Attack from upwind and uphill (verbalize conditions were considered if not applicable).</td> <td></td> </tr> <tr> <td style="text-align: center;">4</td> <td>Select at least one 1 1/2 inch hose line, bleed line, and adjust nozzle.</td> <td></td> </tr> <tr> <td style="text-align: center;">5</td> <td>Extinguish fire around and under the vehicle, attack the remaining fire in the vehicle.</td> <td></td> </tr> <tr> <td style="text-align: center;">6</td> <td>Perform overhaul on vehicle</td> <td></td> </tr> <tr> <td style="text-align: center;">7</td> <td>Describe steps to control any and all fuel leaks</td> <td></td> </tr> </tbody> </table>		Task Steps	✓	1	Properly wear full protective clothing and SCBA.		2	Identify possible fuel types and methods for controlling fuel leaks.		3	Attack from upwind and uphill (verbalize conditions were considered if not applicable).		4	Select at least one 1 1/2 inch hose line, bleed line, and adjust nozzle.		5	Extinguish fire around and under the vehicle, attack the remaining fire in the vehicle.		6	Perform overhaul on vehicle		7	Describe steps to control any and all fuel leaks	
	Task Steps	✓																							
1	Properly wear full protective clothing and SCBA.																								
2	Identify possible fuel types and methods for controlling fuel leaks.																								
3	Attack from upwind and uphill (verbalize conditions were considered if not applicable).																								
4	Select at least one 1 1/2 inch hose line, bleed line, and adjust nozzle.																								
5	Extinguish fire around and under the vehicle, attack the remaining fire in the vehicle.																								
6	Perform overhaul on vehicle																								
7	Describe steps to control any and all fuel leaks																								

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3H

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.8</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Extinguish fires in exterior Class A materials, given fires in stacked or piled and small unattached structures or storage containers that can be fought from the exterior, attack lines, hand tools and master stream devices, and an assignment, so that exposures are protected, the spread of fire is stopped, collapse hazards are avoided, water application is effective, the fire is extinguished, and signs of the origin area(s) and arson are preserved.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate shall demonstrate the ability to recognize inherent hazards related to the material's configuration, operate hand lines or master streams, break up material using hand tools and water streams, evaluate for complete extinguishment, search for and expose hidden fires, and assess patterns for origin determination.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>Equipment Required:</b> Stack of Class A material or unattached structure or storage container, hose lines, hand tools, dedicated safety line with personnel, fire apparatus, and full personal protective equipment with SCBA.		
<b>Conditions:</b> Given a simulated or live exterior Class A fire, in accordance to NFPA 1403 guidelines, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Describe inherent hazards related to the burning material's configuration.	
2	Properly bleed attack line and adjust nozzle.	
3	Extinguish the fire.	
4	Overhaul fire scene while protecting and preserving signs of cause or origin if present.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3I

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.9</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>TASK:</b> Conduct a search and rescue in a structure operating as a member of a team, given an assignment, obscured vision conditions, personal protective equipment, a flashlight, forcible entry tools, hose lines, and ladders when necessary, so that ladders are correctly placed when used, all assigned areas are searched, all victims are located and removed, team integrity is maintained, and team member's safety – including respiratory protection – is not compromised.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate shall demonstrate the ability to use an SCBA to exit through restricted passages, set up and use different types of ladders for various types of rescue operations, rescue a firefighter with functioning respiratory protection, rescue a firefighter whose respiratory protection is not functioning, rescue a person who has no respiratory protection, and assess areas to determine tenability.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>Equipment Required:</b> Full personal protective clothing including SCBA, various size ladders, portable radio, flashlight, hose line, and hand tools.		
<b>Conditions:</b> Given a simulated scenario with obscured visibility and a team member, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Size up the problem and select the appropriate tool(s) and equipment.	
2	Ladders are correctly placed for assignment (if chosen by candidate).	
3	Establish, maintain, and search in an effective pattern (i.e. left-hand or right-hand).	
4	Maintain team integrity and safety.	
5	Use hose line effectively (if chosen by candidate).	
6	<b>Find and remove victim (Circle victim chosen).</b>  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">Person without respiratory protection</div> <div style="text-align: center;">Firefighter with Non-Functioning SCBA</div> <div style="text-align: center;">Firefighter with Functioning SCBA</div> </div>	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3J

Candidate: \_\_\_\_\_

<b>STANDARD: 5.3.11</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>TASK:</b> Perform horizontal ventilation on a structure operating as part of a team, given an assignment, personal protective equipment, ventilation tools, equipment, and ladders, so that the ventilation openings are free of obstructions, tools are used as designed, ladders are correctly placed, ventilation devices are correctly placed, and the structure is cleared of smoke.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to transport and operate ventilation tools and equipment and ladders, and to use safe procedures for breaking window and door glass and removing obstructions.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Full personal protective equipment with SCBA, hose line, hand tools, pike pole, ladder, positive pressure fan, and/or smoke ejector.		
<b>Conditions:</b> Given a simulated fire and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>BREAK WINDOW OR DOOR GLASS</b>		
1	Properly place ladder (if necessary).	
2	Choose proper tool for task and carry tool safely.	
3	Assume proper position and break glass.	
4	Remove glass and any remaining window obstruction. (i.e. curtains, draperies, blinds, etc.)	
<b>FORCED VENTILATION (Choose Positive, Negative, or Hydraulic)</b>		
<i>Positive Pressure Ventilation</i>		
1	Properly place fan so cone of air covers entry point.	
2	Ventilation properly performed and structure cleared of smoke.	
<i>Negative Pressure Ventilation</i>		
1	Properly place fan in exhaust opening to pull smoke out.	
2	Ventilation properly performed and structure cleared of smoke.	
<i>Hydraulic Ventilation</i>		
1	Cover 85-90% of the ventilation opening.	
2	Ventilation properly performed and room cleared of smoke.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3K

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.12</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>TASK:</b> Perform vertical ventilation on a structure as part of a team, given an assignment, personal protective equipment, ground and roof ladders, and tools, so that ladders are positioned for ventilation, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are released from the structure, and the team retreats from the area when ventilation is accomplished.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate, while operating as a member of a team, shall demonstrate the ability to transport and operate ventilation tools and equipment; hoist ventilation tools to a roof; cut roofing and flooring materials to vent flat roofs, pitched roofs, and basements; sound a roof for integrity; clear an opening with hand tools; select, carry, deploy, and secure ground ladders for ventilation activities; deploy roof ladders on pitched roofs while secured to a ground ladder; and carry ventilation tools and equipment while ascending and descending ladders.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>Equipment Required:</b> Full personal protective clothing including SCBA, roof ladder, various size extension ladders, chainsaw, pike pole, and other hand tools.		
<b>Conditions:</b> Given a simulated fire scenario while operating as a member of a team shall demonstrate the ability to:		
No.	Task Steps	✓
1	Collect and organize necessary equipment and tools.	
2	Determine location for ventilation opening.	
3	Properly place ground ladder.	
4	Correctly carry roof ladder while ascending ground ladder and place in position on roof making sure it is up-wind from intended ventilation.	
5	Move tools to roof utilizing teamwork.	
6	Sound roof for integrity and location of roof joists and rafters.	
7	Make an opening at least 4' x 4' in size.	
8	Remove appropriate roof materials after cuts have been completed.	
9	Push ceiling through.	
10	Have team exit roof immediately after performing ventilation.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3L

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.13</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>TASK:</b> Overhaul a fire scene, given personal protective equipment, attack line, hand tools, a flashlight, and an assignment, so that structural integrity is not compromised, all hidden fires are discovered, fire cause evidence is preserved, and the fire is extinguished.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate shall demonstrate the ability to deploy and operate an attack line; remove flooring, ceiling, and wall components to expose void spaces without compromising structural integrity; apply water for maximum effectiveness; expose and extinguish hidden fires in walls, ceilings, and subfloor spaces; recognize and preserve obvious signs of area of origin and arson; and evaluate for complete extinguishment.</p> <p><b>Safety:</b> A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</p>	
<b>Equipment Required:</b> Full personal protective equipment including SCBA, pike poles, hand tools, thermal imager (if available), attack line and/or portable water extinguisher.		
<b>Conditions:</b> Given a simulated fire scenario, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Select proper equipment and extinguishing source for type of overhaul requested.	
2	Demonstrate locating hidden fires by sight, touch, sound, or electronic sensor.	
3	Expose hidden fires in ceilings, walls, and/or subfloor spaces.	
4	Remove or extinguish burning objects.	
5	Preserve evidence or signs of cause and origin.	
6	Ensure and evaluate debris piles or burning material is completely extinguished.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3M

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.14</b> <b>NFPA 1001, 2013 Edition</b> <b>Fire Ground Operations</b>	<b>TASK:</b> Conserve property as a member of a team, given salvage tools and equipment and an assignment, so that the building and its contents are protected from further damage.	
<b>PERFORMANCE OUTCOME:</b>	The candidate, while operating as a member of a team, shall demonstrate the ability to cluster furniture; deploy covering materials; roll and fold salvage covers for reuse; construct water chutes and catch-alls; remove water; cover building openings, including doors, windows, floor openings, and roof openings; separate, remove, and relocate charred materials to a safe location while protecting the area of origin for cause determination; stop the flow of water from a sprinkler with sprinkler wedges or stoppers; and operate a main control valve on an automatic sprinkler system.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Personal protective equipment/ SCBA, pike poles, salvage covers, and sprinkler wedges or stoppers.		
<b>Conditions:</b> Given a simulated fire scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Arrange furnishings in close piles(s) and raised off the floor if possible while preserving evidence or signs of cause and origin	
2	Cover the pile with a salvage cover using two different spreads. <div style="text-align: center;">(Circle)</div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <b>One Firefighter Spread</b> </div> <div style="text-align: center;"> <b>Two Firefighter Spread</b> </div> <div style="text-align: center;"> <b>Two Firefighter Balloon Throw</b> </div> </div>	
3	Construct or perform one of the below called for in the scenario <div style="text-align: center;">(Circle)</div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <b>Water Catch-All</b> </div> <div style="text-align: center;"> <b>Water Chute</b> </div> </div>	
4	Verbalize OR demonstrate one of the below. <div style="text-align: center;">(Circle)</div> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <b>Stop Activated Sprinkler Head</b> </div> <div style="text-align: center;"> <b>Operate Main Control Valve</b> </div> </div>	
5	Roll and/or Fold salvage cover for reuse.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3N

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.15</b> <b>NFPA 1001, 2013 Edition</b> <b>Fire Ground Operations</b>	<b>TASK:</b> Connect a fire department pumper to a water supply as a member of a team, given supply or intake hose, hose tools, and a fire hydrant or static water source, so that connections are tight and water flow is unobstructed.	
<b>PERFORMANCE OUTCOME:</b>	The candidate, while operating as a member of a team, shall demonstrate the ability to hand lay a supply hose, connect and place hard suction hose for drafting operations, deploy portable water tanks as well as the equipment necessary to transfer water between and draft from them, make hydrant-to-pumper hose connections for forward and reverse lays, connect supply hose to a hydrant, and fully open and close the hydrant  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Full personal protective equipment, appropriate equipment for hydrant or static water supply.		
<b>Conditions:</b> Given a static water source or fire hydrant, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
	<b>CIRCLE:</b> Fire Hydrant      or      Static Water Source	
	<b>FIRE HYDRANT CONNECTION VIA FORWARD &amp; REVERSE LAY</b>	
1	Connect supply hose to hydrant.	
2	Connect supply hose to pumper intake.	
3	Fully open hydrant.	
4	Fully close the hydrant.	
	<b>STATIC WATER SOURCE</b>	
1	Deploy portable water tank.	
2	Check gaskets on the hard suction hose for dirt, gravel or defects.	
3	Connect strainer to hose.	
4	Connect hard suction hose to pumper.	
5	Lower hose and strainer into static water source.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**





# FIRE FIGHTER I

## JPR: FFI-30

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.16</b> <b>NFPA 1001, 2013 Edition</b> <b>Fire Ground Operations</b>	<b>TASK:</b> Extinguish incipient Class A, Class B, and Class C fires, given a selection of portable extinguishers, so that the correct extinguisher is chosen, the fire is completely extinguished, and correct extinguisher-handling techniques are followed.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to operate portable fire extinguishers, approach fire with portable fire extinguishers, select an appropriate extinguisher based on the size and type of fire, and safely carry portable fire extinguishers <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Full personal protective equipment, variety of fire extinguishers, and burn pan.		
<b>Conditions:</b> Given a small Class A, Class B, or Class C fire, and in full protective equipment, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
	<b>CIRCLE CLASS OF FIRE TO BE EXTINGUISHED:</b> <div style="display: flex; justify-content: space-around; margin-top: 5px;"> <span>Class A</span> <span>Class B</span> <span>Class C</span> </div>	
1	Correctly identify the class of fire.	
2	Select an extinguisher suitable for fire given.	
3	Properly activate the extinguisher (pull pin and/or puncture cartridge).	
4	Approach to an effective distance for discharge of the selected extinguisher.	
5	Discharge extinguisher agent on the base of the fire and sweep over the fire area.	
6	Advance on the remaining burning material while continuing to extinguish hot spots.	
7	Extinguish the fire and check for remaining hot spots.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3P

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.17</b> <b>NFPA 1001, 2013 Edition</b> <b>Fire Ground Operations</b>	<b>Task:</b> Illuminate the emergency scene, given fire service electrical equipment and an assignment, so that designated areas are illuminated and all equipment is operated within the manufacturer's listed safety precaution.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to operate department power supply and lighting equipment, deploy cords and connectors, reset ground-fault (GFI) devices, and locate lights for best effect. <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>EQUIPMENT REQUIRED:</b> Portable or mounted power supply, lights, cords, connectors and ground fault interrupters, and full personal protective equipment.		
<b>CONDITIONS:</b> Given illumination equipment, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Arrange power cords neatly to minimize trip hazards.	
2	Operate power supply properly	
3	Illuminate the area sufficiently.	
4	Allow equipment to cool down before returning to service or verbally explain the need to do so.	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3Q

Candidate: \_\_\_\_\_

<b>STANDARD: 5.3.18</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Turn off building utilities, given tools and an assignment, so that the assignment is safely completed.	
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to identify utility control devices, operate control valves or switches, and assess for related hazards  <b>Safety:</b> A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.		
<b>Equipment Required:</b> Personal protective equipment, hand tools for controlling utilities, and utility service boxes.		
<b>CONDITIONS:</b> Given a utility, the candidate shall demonstrate or verbalize the ability to:		
No.	Task Steps	✓
	<b>LOCATE UTILITY SERVICE BOXES</b>	
1	Electrical-main panel	
2	Natural gas-meter or LPG/CNG-storage tank/cylinder	
3	Water-meter box or building water control valve	
	<b>SHUT OFF UTILITY</b>	
1	Electrical-breaker to "off"	
2	Natural gas-gas cock to "off" or LPG/CNG-turn valve clockwise to close	
3	Water-turn valve clockwise to close or water valve cross way to direction of flow	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-3R

**Candidate:** \_\_\_\_\_

<b>STANDARD: 5.3.19</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Combat a ground cover fire operating as a member of a team, so that threats to property are reported, threats to personal safety are recognized, retreat is quickly accomplished when warranted, and the assignment is completed.	
<b>PERFORMANCE OUTCOME:</b>	The candidate, while operating as a member of a team, shall demonstrate the ability to determine exposure threats based on fire spread potential, protect exposures, construct a fire line or extinguish with hand tools, maintain integrity of established fire lines, and suppress cover fires using water.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Wildland personal protective equipment, wildland hand tools, area of land and a map or drawing.		
<b>CONDITIONS:</b> Given a simulated wildland fire scenario and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Don or describe what personal protective clothing should be worn and what tools and equipment should be used.	
2	Perform an assessment of the incident with respect to type of fuel, topography, weather conditions, and exposures.	
3	Describe the exposures presented and what protection is needed, or conduct the operation.	
4	Describe a direct attack on the fire and where it would be made, or conduct the operation.	
5	Describe an indirect attack and where it could be made, or conduct the operation.	
6	Identify escape routes and Safety zones.	
7	Reevaluate the integrity of the Fireline	

**Evaluator (Print & Sign)** \_\_\_\_\_

**Date:** \_\_\_\_\_



# FIRE FIGHTER I

## JPR: FFI-5A

Candidate: \_\_\_\_\_

<b>STANDARD: 5.5.1</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Preparedness, and Maintenance</b>	<b>Task:</b> Clean and check ladders, ventilation equipment, SCBA, ropes, salvage equipment, and hand tools, given cleaning tools, cleaning supplies, and an assignment, so that equipment is clean and maintained according to manufacturer's or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to select correct tools for various parts and pieces of equipment, follow guidelines, and complete recording and reporting procedures.  <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Ladders, rope, salvage equipment, ventilation equipment, hand tools, SCBA, service tags, and cleaning supplies.		
<b>CONDITIONS:</b> Given firefighting equipment, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>EQUIPMENT TO BE CLEANED AND INSPECTED</b> <b>(SCBA Mandatory &amp; Circle One Other):</b>		
SCBA	Hand Tool	Ventilation Equipment
Ladder	Rope	Salvage Equipment
<b>SCBA</b>		
1	Inspect / Clean face piece according to department policies.	
2	Inspect / Clean back plate/frame/harness assembly.	
3	Inspect / Clean cylinder.	
4	Place in ready state and report any deficiencies.	
<b>Hand Tools</b>		
<b>Wooden / Fiberglass Handles:</b>		
1	Inspect Handle	
2	Inspect Head / Cutting edge / Surface	
3	Clean Tool	
4	Place in ready state and report any deficiencies.	

No.	Task Steps	✓
<b>Ventilation Equipment</b>		
<b>Fueled</b>		
1	Check fuel level	
2	Check that appropriate guards are in place.	
3	Check starting.	
4	Place in ready state and report any deficiencies.	
<b>Electric</b>		
1	Check electric cords for damage.	
2	Check that appropriate guards are in place.	
3	Check starting.	
4	Place in ready state and report any deficiencies.	
<b>Ladders</b>		
1	Clean Ladder.	
2	Examine all beams, guides, halyard, cable, pawls, pulleys, rails, rungs, bolts, rivets, welds, heat indicator, and movable parts.	
3	Place in ready state and report any deficiencies.	
<b>Rope</b>		
1	Clean rope.	
2	Visually and Physically inspect rope for damage.	
3	Place in ready state and report any deficiencies.	
<b>Salvage Equipment</b>		
1	Clean provided salvage equipment.	
2	Inspect equipment and identify damage.	
3	Place in ready state and report any deficiencies.	

---

**Evaluator (Print & Sign)**


---

**Date:**



# FIRE FIGHTER I

## JPR: FFI-5B

Candidate: \_\_\_\_\_

<b>STANDARD: 5.5.2</b> <b>NFPA 1001, 2013 Edition</b> <b>Preparedness, and Maintenance</b>	<b>Task:</b> Clean, inspect, and return fire hose to service, given washing equipment, water, detergent, tools, and replacement gaskets, so that damage is noted and corrected, the hose is clean, and the equipment is placed in a ready state for service.	
<b>PERFORMANCE OUTCOME:</b>	The candidate shall demonstrate the ability to clean different types of hose, operate hose washing and drying equipment (if available), mark defective hose, and replace coupling gaskets, roll hose, and reload hose. <b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b>	
<b>Equipment Required:</b> Fire apparatus, scrub brush, hose, cleaning supplies, replacement gaskets, hose washer and dryer (if available), log book or tags for reporting repair needs, and personal protective clothing (proctor to determine what PPE is to be worn).		
<b>CONDITIONS:</b> Given Fire Department hose and apparatus, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
<b>INSPECT / CLEAN HOSE</b>		
1	Inspect / Clean hose.	
2	Clean couplings according to department guidelines.	
3	Dry hose.	
4	Place in ready state and report any deficiencies.	
<b>RETURNING HOSE TO SERVICE</b>		
5	<b>Roll hose as selected by proctor (Circle one):</b> Straight                      Donut                      Twin Donut                      Self-Locking Twin Donut	
6	<b>Reload hose on apparatus using a hose load specific to apparatus or department:</b> Preconnect Supply Line	

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-Live Fire A

Candidate: \_\_\_\_\_

<b>STANDARD: 5.3.10</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Attack an interior grade level structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control.	
<b>PERFORMANCE OUTCOME:</b>	<p>The ability to prevent water hammers when shutting down nozzles; open, close, and adjust nozzle flow and patterns; apply water using direct, indirect, and combination attacks; advance charged and uncharged 1 1/2 in. diameter or larger hose lines up ladders and up and down interior and exterior stairways; extend hose lines; replace burst hose sections; operate charged hose lines of 1 1/2 in. diameter or larger while secured to a ground ladder; couple and uncouple various handline connections; carry hose; attack fires at grade level and above and below grade levels; and locate and suppress interior wall and subfloor fires.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>Equipment Required:</b> NFPA 1403 (Standard on Live Fire Training) documentation, full personal protective equipment with SCBA, hose line, hand tools, flashlight, various size ladders, and fire apparatus.		
<b>CONDITIONS:</b> Given an interior grade level live fire and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Describe hose line replacement method should hose line burst prior to entry.	
2	Properly wear full protective clothing and SCBA.	
3	Properly deploy attack line for advancement to fire.	
4	Properly bleed attack line and adjust nozzle while preventing water hammer.	
5	Check door before entering and sound floor for stability.	
6	Use appropriate body posture for conditions	
7	Correctly extinguish the fire using pattern selected by proctor.	
8	Overhaul fire scene while protecting and preserving signs of cause or origin (if present).	
<b>CIRCLE ATTACK PATTERN TO USE FOR FIRE ATTACK:</b>  <div style="display: flex; justify-content: space-around; font-weight: bold;"> <span>DIRECT</span> <span>INDIRECT</span> <span>COMBINATION</span> </div>		

\_\_\_\_\_  
 Evaluator (Print & Sign)

\_\_\_\_\_  
 Date:





# FIRE FIGHTER I

## JPR: FFI-Live Fire B

Candidate: \_\_\_\_\_

<b>STANDARD: 5.3.10</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Attack an interior above grade level structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate shall demonstrate the ability to prevent water hammer when shutting down nozzles; open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; extend hose line; operate charged hose line while secured to ladder; replace burst hose sections; couple and uncouple various hand line connections; carry hose; and, attack fire at above grade level.</p> <p style="text-align: center;"><b>Any Safety infraction is considered an automatic failure of the JPR</b></p>	
<b>Equipment Required:</b> NFPA 1403 (Standard on Live Fire Training) documentation, full personal protective equipment with SCBA, hose line, hand tools, flashlight, various size ladders, and fire apparatus.		
<b>CONDITIONS:</b> Given an interior above grade level live fire and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Describe hose line replacement method should hose line burst prior to entry.	
2	Properly wear full protective clothing and SCBA.	
3	Properly deploy attack line for advancement to fire.	
4	Properly bleed attack line and adjust nozzle while preventing water hammer.	
5	Check door before entering and sound floor for stability.	
6	Use appropriate body posture for conditions	
7	Correctly extinguish the fire using pattern selected by proctor.	
8	Overhaul fire scene while protecting and preserving signs of cause or origin (if present).	
<b>CIRCLE ATTACK PATTERN TO USE FOR FIRE ATTACK:</b>  <div style="display: flex; justify-content: space-around; font-weight: bold;"> <span>DIRECT</span> <span>INDIRECT</span> <span>COMBINATION</span> </div>		

\_\_\_\_\_  
**Evaluator (Print & Sign)**

\_\_\_\_\_  
**Date:**



# FIRE FIGHTER I

## JPR: FFI-Live Fire C

Candidate: \_\_\_\_\_

<b>STANDARD: 5.3.10</b>  <b>NFPA 1001, 2013 Edition</b>  <b>Fire Ground Operations</b>	<b>Task:</b> Attack an interior below grade level structure fire operating as a member of a team, given an attack line, ladders when needed, personal protective equipment, tools, and an assignment, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed when used, access is gained into the fire area, effective water application practices are used, the fire is approached correctly, attack techniques facilitate suppression given the level of the fire, hidden fires are located and controlled, the correct body posture is maintained, hazards are recognized and managed, and the fire is brought under control.	
<b>PERFORMANCE OUTCOME:</b>	<p>The candidate shall demonstrate the ability to prevent water hammer when shutting down nozzles; open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; extend hose line; replace burst hose sections; couple and uncouple various hand line connections; carry hose; and, attack fire at below grade level.</p> <p><b>Safety: A safety violation is grounds for automatic failure. All proctors present shall review the safety violation.</b></p>	
<b>Equipment Required:</b> NFPA 1403 (Standard on Live Fire Training) documentation, full personal protective equipment with SCBA, hose line, hand tools, flashlight, various size ladders, and fire apparatus.		
<b>CONDITIONS:</b> Given an interior below grade level live fire and a team, the candidate shall demonstrate the ability to:		
No.	Task Steps	✓
1	Describe hose line replacement method should hose line burst prior to entry.	
2	Properly wear full protective clothing and SCBA.	
3	Properly deploy attack line for advancement to fire.	
4	Properly bleed attack line and adjust nozzle while preventing water hammer.	
5	Check door before entering and sound floor for stability.	
6	Descend stairs safely and quickly using appropriate body posture.	
7	At bottom of stairs search for and correctly extinguish the fire using pattern selected by proctor.	
8	Overhaul fire scene while protecting and preserving signs of cause or origin (if present).	
<b>CIRCLE ATTACK PATTERN TO USE FOR FIRE ATTACK:</b>		
<div style="display: flex; justify-content: space-around;"> <span>DIRECT</span> <span>INDIRECT</span> <span>COMBINATION</span> </div>		

\_\_\_\_\_  
 Evaluator (Print & Sign)

\_\_\_\_\_  
 Date: